SAFETY DATA SHEET

1. Identification

Product identifier	MS0027 MOSQUITO SHIELD	PIACTIVE INSECT REPELLENT
Other means of identification		
Product code	MS0027	
Recommended use	Insect repellent	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	Distributor information	
Manufacturer		
Company name	KUUS INC.	
Address	450 TAPSCOTT ROAD	
	SCARBOROUGH, ON M1B1	Y4
	Canada	
Telephone	General Assistance	1-800-267-0455
E-mail	Not available.	
Emergency phone number	Canutec	1-888-226-8832
		1-613-996-6666

2. Hazard(s) identification

Physical hazards Health hazards Label elements	Flammable liquids Not classified.	Category 2
Signal word	Danger	
Hazard statement	Highly flammable liquid and vapor.	
Precautionary statement		
Prevention	Keep container tightly closed. Ground and bor	quipment. Use non-sparking tools. Take action to
Response	IF ON SKIN (or hair): Take off immediately all Rinse skin with water. In case of fire: Use app	C (
Storage	Store in a well-ventilated place. Keep cool.	
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.
Other hazards	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
1-piperidinecarboxylic Acid, 2-(2-hydroxyethyl)-2-methylpropyl Ester		119515-38-7	15 - 40
Ethyl Alcohol		64-17-5	15 - 40

Other components below reportable levels All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are A.First-aid measures Inhalation Move to fresh air. Call a physician if symptoms develop Skin contact Eye contact Ingestion Most important symptoms/effects, acute and delayed Indication of immediate medical attention and special treatment needed General information 5. Fire-fighting measures Suitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Specific methods General fire hazards Fire fighting equipment/instructions Specific methods General fire hazards Highly flammable liquid and vapor. 6. Accidental release measures Methods and materials for containment and cleaning up containment and cleaning up emergency procedures Methods and materials for containment and cleaning up contained material, for sonspliking domase in protective equipme	CAS number	%			
All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are information and special attention and special protective equipment instructions for firefighters fire fighting measures for firefighters fire fighting measures and treat special protective equipment and mergency procedures mand cleaning up protective equipment and mergency procedures mand cleaning up protective equipment and mergency procedures for containment and cleaning up protective equipment and mergency procedures and cleaning up protective equipment and cleaning up protective equipment and mergency procedures and cleaning up protective equipment and clean	25322-68-3	10 - 30			
 First-aid measures halation Kin contact Kin contact Take off immediately all contaminated clothing. Rinse si Immediately flush eyes with plenty of water for at least of present and easy to do. Rinse mouth. Get medical attention if symptoms occur. Headache. Direct contact with eyes may cause tempored present and easy to do. Rinse mouth. Get medical attention if symptoms occur. Headache. Direct contact with eyes may cause tempored immediately. While flushing, remove clothes which do n ambulance. Continue flushing during transport to hospit Take off all contaminated clothing immediately. Wash of the chemical Fire-fighting measures Water fog. Alcohol resistant foam. Dry chemical powder Do not use water jet as an extinguisher, as this will spre- tedia Vapors may form explosive mixtures with air. Vapors may of ignition and flash back. Self-contained breathing apparatus and full protective of the ighting quipment/instructions precific methods Hendods Accidental release measures Keep unnecessary personnel away. Keep people away ignition sources (no smoking, flares, sparks, or flames in protective equipment and dothing during clean-up. Do r material unless wearing appropriate protective clothing, them. Local authorities should be advised if significant s protective equipment and cleaning up mortage sparks, or flames in immediate area). K away from spilled material. Take precautionary measure non-sparking tools. Large Spills: Stop the flow of material, if this is without r possible. Cover with plastic sheet to prevent spreading, them. Local authorities should be advised if significant s protection, see section 8 of the SDS. Large Spills: Absorb with earth, sand or other non-combination and should be availed precision and plase in immediate area). K and spille material. Take precautionary mea	Other components below reportable levels				
halationMove to fresh air. Call a physician if symptoms develop Take off immediately all contaminated clothing. Rinse si yresent and easy to do.agestionRinse mouth. Get medical attention if symptoms occur.lost important ymptoms/effects, acute and elayedRinse mouth. Get medical attention if symptoms occur.headache. Direct contact with eyes may cause temporal restriate attention and special restriate attention and special restrimediately. While flushing, remove clothes which do n ambulance. Continue flushing during transport to hospit Take off all contaminated clothing immediately. Wash c to not use water jet as an extinguisher, as this will spre- terdia protective equipment and precautions for firefighterspecific hazards arising from te chemical pecific methodsWater fog. Alcohol resistant foam. Dry chemical powder Do not use water jet as an extinguisher, as this will spre- to fighting quipment/instructions pecific methodspecific methodsUse standard firefighting procedures and consider the h Highly flammable liquid and vapor.t. Accidental release measuresersonal precautions, rotective equipment and mergency procedureslethods and materials for ontainment and cleaning upway from spilled material. Take precautionary measure non-sparking tools.Large Spills: Stop the flow of material, if this is without r possible. Cover with plastic sheed to prevent spreading, way from spilled material. Take precautionary measure non-sparking tools.Large Spills: Absorb with earth, sand or other non-comb	ns are in percent by vol	ume.			
Skin contactTake off immediately all contaminated clothing. Rinse is immediately flush eyes with plenty of water for at least present and easy to do.IngestionRinse mouth. Get medical attention if symptoms occur.Nost important symptoms/effects, acute and 					
Eye contactImmediately flush eyes with plenty of water for at least of present and easy to do.IngestionRinse mouth. Get medical attention if symptoms occur.Most important symptoms/effects, acute and felayedProvide general supportive measures and treat symptom reatment neededGeneral informationProvide general supportive measures and treat symptom immediately. While flushing, remove clothes which do n ambulance. Continue flushing during transport to hospitSuitable extinguishing mediaWater fog. Alcohol resistant foam. Dry chemical powderJnsuitable extinguishing mediaWater fog. Alcohol resistant foam. Dry chemical powderSpecial protective equipment and precautions for firefightersVapors may form explosive mixtures with air. Vapors may form explosive mixtures with air. Vapors may form explosion do not breathe fumes.Special protective equipment and precautions, protective equipment and emergency proceduresUse standard firefighting procedures and consider the hBeneral fire hazardsUse standard firefighting procedures and consider the hShecid tractards and materials for containment and cleaning upKeep unnecessary personnel away. Keep people away ignition sources (no smoking, flares, sparks, or flames in immediate area). K away from spilled material. Take precautionary measure non-sparking tools.Methods and materials for containment and cleaning upUse water spray to reduce vapors or divert vapor cloud sway from spilled material. Take precautionary measure non-sparking tools.Large Spills: Stop the flow of material, if this is without r possible. Cover with plastic sheet to prevent spreading tools.Large Spills: Absorb with earth, sand or other non-comt	elop or persist.				
ngestionpresent and easy to do.Most important symptoms/effects, acute and lelayedRinse mouth. Get medical attention if symptoms occur. Headache. Direct contact with eyes may cause tempora tymptoms/effects, acute and lelayedIndication of immediate medical attention and special reatment neededProvide general supportive measures and treat symptor immediately. While flushing, remove clothes which do n ambulance. Continue flushing during transport to hospit Take off all contaminated clothing immediately. Wash c5. Fire-fighting measures Suitable extinguishing mediaWater fog. Alcohol resistant foam. Dry chemical powder Do not use water jet as an extinguisher, as this will spre for fightners5. Fire-fighting mediaWater fog. Alcohol resistant foam. Dry chemical powder Do not use water jet as an extinguisher, as this will spre of ignition and flash back.5. Special protective equipment ind precautions for firefightersSelf-contained breathing apparatus and full protective c In case of fire and/or explosion do not breathe fumes.6. Accidental release measuresKeep unnecessary personnel away. Keep people away ignition sources (no smoking, flares, sparks, or flames in protective equipment and clothing during clean-up. Do r material unless wearing appropriate protective clothing, moking. flares, sparks, or flames in immediate area). K away from spilled material. Take precautionary measure non-sparking tools.Acthods and materials for sontainment and cleaning up posible. Cover with plastic sheet to prevent spreading, ermiculite, sand or earth to soak up the product and pli Following product recovery, flush area with water.Methods and materials for sontainment and cleaning up sontainment	se skin with water/show	er. (for 100% Icario			
Most important symptoms/effects, acute and lelayedHeadache. Direct contact with eyes may cause tempore symptoms/effects, acute and lelayedIndication of immediate medical attention and special reatment neededProvide general supportive measures and treat symptor immediately. While flushing, remove clothes which do n ambulance. Continue flushing during transport to hospit Take off all contaminated clothing immediately. Wash to hospit Take off all contaminated clothing immediately. Wash of 5. Fire-fighting measuresSuitable extinguishing mediaWater fog. Alcohol resistant foam. Dry chemical powder Do not use water jet as an extinguisher, as this will spre to fightion and flash back.Specific hazards arising from he chemicalVapors may form explosive mixtures with air. Vapors m of ignition and flash back.Specific methods Specific methodsSelf-contained breathing apparatus and full protective c In case of fire and/or explosion do not breathe fumes.6. Accidental release measuresKeep unnecessary personnel away. Keep people away ignition sources (no smoking, flares, sparks, or flames in protective equipment and emergency proceduresMethods and materials for containment and cleaning up containment and cleaning up contain	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if				
 Symptoms/effects, acute and lelayed Indication of immediate medical attention and special reatment needed Seneral information Fire-fighting measures Suitable extinguishing media Water fog. Alcohol resistant foam. Dry chemical powder Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre Do not use water of ignition and flash back. Special protective equipment and firefighting procedures and consider the Highly flammable liquid and vapor. Accidental release measures Reep unnecessary personnel away. Keep people away ignition sources (no smoking, flares, sparks, or flames in protective clothing, them. Local authorities should be advised if significant s protective equipment and mergency procedures Methods and materials for containment and cleaning up protective clover with plastic sheet to prevent spreading, verniculite, sand or earth to soa	cur.				
nedical attention and special reatment neededimmediately. While flushing, remove clothes which do n ambulance. Continue flushing during transport to hospit Take off all contaminated clothing immediately. Wash of 5. Fire-fighting measuresSuitable extinguishing media Disuitable extinguishing mediaWater fog. Alcohol resistant foam. Dry chemical powder Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not use water jet as an extinguisher, as this will spre to not is spreading. Use standard firefighting procedures and consider the h Highly flammable liquid and vapor.Specific methods Specific methodsUse standard firefighting procedures and consider the h Highly flammable liquid and vapor.Scheetive equipment and spreterive equipment and tommergency proceduresKeep unnecessary personnel away. Keep people away ignition sources (no smoking, flares, sparks	Headache. Direct contact with eyes may cause temporary irritation. Coughing.				
 5. Fire-fighting measures Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire fighting equipment/instructions Specific methods G. Accidental release measures Personal precautions, protective equipment and genergency procedures Methods and materials for containment and cleaning up Methods and materials for containmen	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with w immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.				
Suitable extinguishing mediaWater fog. Alcohol resistant foam. Dry chemical powder Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water spreading the chemical do not use water is the advised if significant sprotective equipment and cleaning up and procedures for containment and cleaning upWethods and materials for containment and cleaning upKeep unnecessary personnel away. Keep people away ignition sources (no smoking, flares, sparks, or flames in isprotective clothing. them. Local authorities should be advised if significant sprotection, see section 8 of the SDS. Use water spray to reduce vapors or divert vapor cloud smoking, flares, sparks, or flames in immediate area). K away from spilled material. Take precautionary measure non-sparking tools. Large Spills: Stop the flow of material, if this is without r possible. Cover with	sh contaminated clothir	g before reuse.			
Suitable extinguishing mediaWater fog. Alcohol resistant foam. Dry chemical powder Do not use water jet as an extinguisher, as this will spre Do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water jet as an extinguisher, as this will spre do not use water spreading the chemical do not use water of ignition and flash back.Specific methods General fire hazardsSelf-contained breathing apparatus and full protective c use standard firefighting procedures and consider the h Highly flammable liquid and vapor.6. Accidental release measures Personal precautions, protective equipment and emergency proceduresKeep unnecessary personnel away. Keep people away ignition sources (no smoking, flares, sparks, or flames in protective clothing. them. Local authorities should be advised if significant s protection, see section 8 of the SDS.Methods and materials for containment and cleaning up containment and cleaning up <br< td=""><td></td><td></td></br<>					
Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spre- manual special protective equipment and precautions for firefightersSpecial protective equipment and precautions for firefightersDo not use water jet as an extinguisher, as this will spre- of ignition and flash back.Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective c and precautionsFire fighting aquipment/instructionsIn case of fire and/or explosion do not breathe fumes.Specific methods General fire hazardsUse standard firefighting procedures and consider the h Highly flammable liquid and vapor.6. Accidental release measures Personal precautions, portective equipment and emergency proceduresKeep unnecessary personnel away. Keep people away ignition sources (no smoking, flares, sparks, or flames i protective equipment and clothing during clean-up. Do r material unless wearing appropriate protective clothing. them. Local authorities should be advised if significant s protection, see section 8 of the SDS.Methods and materials for containment and cleaning upUse water spray to reduce vapors or divert vapor cloud smoking, flares, sparks, or flames in immediate area). K away from spilled material. Take precautionary measure non-sparking tools.Large Spills: Stop the flow of material, if this is without r possible. Cover with plastic sheet to prevent spreading. vermiculite, sand or earth to soak up the product and pla Following product recovery, flush area with water.Small Spills: Absorb with earth, sand or other non-comb	vder. Carbon dioxide ((CO2).			
he chemicalof ignition and flash back.Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective c and/or explosion do not breathe fumes.Fire fighting equipment/instructionsIn case of fire and/or explosion do not breathe fumes.Specific methods General fire hazardsUse standard firefighting procedures and consider the h Highly flammable liquid and vapor.6. Accidental release measures Personal precautions, protective equipment and emergency proceduresKeep unnecessary personnel away. Keep people away. ignition sources (no smoking, flares, sparks, or flames in protective equipment and clothing during clean-up. Do r material unless wearing appropriate protective clothing. them. Local authorities should be advised if significant s protection, see section 8 of the SDS.Wethods and materials for containment and cleaning upUse water spray to reduce vapors or divert vapor cloud smoking, flares, sparks, or flames in immediate area). K away from spilled material. Take precautionary measure non-sparking tools.Large Spills: Stop the flow of material, if this is without r possible. Cover with plastic sheet to prevent spreading. vermiculite, sand or earth to soak up the product and play Following product recovery, flush area with water.		,			
 In case of fire and/or explosion do not breathe fumes. Fire fighting equipment/instructions Specific methods General fire hazards C. Accidental release measures Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up Methods and materials for containment and cleaning up	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a of ignition and flash back.				
 Equipment/instructions Specific methods General fire hazards G. Accidental release measures Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up Methods and materials for containment and cleaning up Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without r possible. Cover with plastic sheet to prevent spreading. vermiculite, sand or earth to soak up the product and plastic sheet to prevent spreading. Vermiculite, sand or earth to soak up the product and plastic should be area with water. Small Spills: Absorb with earth, sand or other non-comte 	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.				
General fire hazardsHighly flammable liquid and vapor.6. Accidental release measuresPersonal precautions, protective equipment and emergency proceduresKeep unnecessary personnel away. Keep people away ignition sources (no smoking, flares, sparks, or flames in protective equipment and clothing during clean-up. Do r material unless wearing appropriate protective clothing. them. Local authorities should be advised if significant s protection, see section 8 of the SDS.Wethods and materials for containment and cleaning upUse water spray to reduce vapors or divert vapor cloud smoking, flares, sparks, or flames in immediate area). K away from spilled material. Take precautionary measure non-sparking tools.Large Spills: Stop the flow of material, if this is without r possible. Cover with plastic sheet to prevent spreading. vermiculite, sand or earth to soak up the product and pla Following product recovery, flush area with water.	In case of fire and/or explosion do not breathe fumes.				
 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Wethods and materials for containment and cleaning up Methods and materials for containment and cleaning up Wethods and materials for containment and cleaning up Methods and materials for cont	Use standard firefighting procedures and consider the hazards of other involved materials.				
 Personal precautions, protective equipment and emergency procedures Wethods and materials for containment and cleaning up Methods and materials for containment and cleaning up Wethods and materials for containment and cleaning up Methods and materials for clean material clean material material material material material material material material material mater	Highly flammable liquid and vapor.				
 ignition sources (no smoking, flares, sparks, or flames in protective equipment and clothing during clean-up. Do r material unless wearing appropriate protective clothing. them. Local authorities should be advised if significant s protection, see section 8 of the SDS. Wethods and materials for containment and cleaning up Wethods and materials for containment and cleaning up Local authorities should be advised if significant s protection, see section 8 of the SDS. Use water spray to reduce vapors or divert vapor cloud smoking, flares, sparks, or flames in immediate area). K away from spilled material. Take precautionary measure non-sparking tools. Large Spills: Stop the flow of material, if this is without ripossible. Cover with plastic sheet to prevent spreading. vermiculite, sand or earth to soak up the product and pla Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combination. 					
 containment and cleaning up smoking, flares, sparks, or flames in immediate area). K away from spilled material. Take precautionary measure non-sparking tools. Large Spills: Stop the flow of material, if this is without r possible. Cover with plastic sheet to prevent spreading. vermiculite, sand or earth to soak up the product and pla Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combination. 	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eli ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear approp protective equipment and clothing during clean-up. Do not touch damaged containers or material unless wearing appropriate protective clothing. Ventilate closed spaces before a them. Local authorities should be advised if significant spillages cannot be contained. For protection, see section 8 of the SDS.				
possible. Cover with plastic sheet to prevent spreading. vermiculite, sand or earth to soak up the product and pla Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-comb	a). Keep combustibles	wood, paper, oil, et			
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.				
Environmental precautionsNever return spills to original containers for re-use. ForAvoid discharge into drains, water courses or onto the grade	-	section 13 of the S			
7. Handling and storage					

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Wear appropriate personal protective equipment.

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Components	Туре	Value
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm
Canada. Alberta OELs (Occo Components	upational Health & Safety Code, Sch Type	edule 1, Table 2) Value
Ethyl Alcohol (CAS 64-17-5)	TWA	1880 mg/m3 1000 ppm
Canada. British Columbia O Safety Regulation 296/97, as		for Chemical Substances, Occupational Health and
Components	Туре	Value
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm
Canada. Manitoba OELs (Re Components	g. 217/2006, The Workplace Safety / Type	And Health Act) Value
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm
•	ntrol of Exposure to Biological or Ch	
Components	Туре	Value
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm
Canada. Quebec OELs. (Min Components	istry of Labor - Regulation Respecti Type	ng the Quality of the Work Environment) Value
Ethyl Alcohol (CAS 64-17-5)	TWA	1880 mg/m3 1000 ppm
ological limit values	No biological exposure limits noted for	or the ingredient(s).
propriate engineering ntrols	Explosion-proof general and local ex are recommended.	haust ventilation. Eye wash fountain and emergency shower
dividual protection measures,	such as personal protective equipm	ent
Eye/face protection	Wear safety glasses with side shield	s (or goggles).
Skin protection		
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.	
Other	Wear suitable protective clothing.	
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
eneral hygiene nsiderations	When using do not smoke.	
Physical and chemical p	properties	
pearance		
Physical state	Liquid.	

Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.

Initial boiling point and boiling	212 °F (100 °C) estimated
range	AC 0 °F (20 0 °C) estimated
Flash point	86.0 °F (30.0 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	756.46 °F (402.48 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

······, ·············,			
Inhalation No adverse effects due to inhalation are expected.			
Skin contact	No adverse effects due to skin o	contact are expected.	
Eye contact	Eye contact Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion	hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Headache. Coughing.		
Information on toxicological ef	fects		
Acute toxicity			
Components	Species	Test Results	
Ethyl Alcohol (CAS 64-17-5)			
Acute			

Cat

Inhalation

LC50

85.41 mg/l, 4.5 Hours

Components	Species	i	Test Results
			43.68 mg/l, 6 Hours
	Mouse		> 60000 ppm
			79.43 mg/l, 134 Minutes
	Rat		> 115.9 mg/l, 4 Hours
			51.3 mg/l, 6 Hours
Oral			
LD50	Monkey		6000 mg/kg
	Mouse		10500 ml/kg
	Pig		> 5000 mg/kg
	Rat		10470 mg/kg
			7800 ml/kg
Polyethylene Glycol (CAS 25322	-68-3)		
Acute			
Oral			
LD50	Rat		4300 mg/kg
* Estimates for product may	be based on a	additional component data not shown.	
Skin corrosion/irritation		skin contact may cause temporary irrita	tion.
Serious eye damage/eye	-	act with eyes may cause temporary irrit	
rritation			
Respiratory or skin sensitization	on		
Respiratory sensitization	-	iratory sensitizer.	
Skin sensitization	-	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity			
Canada - Manitoba OELs:	-	-	
ETHANOL (CAS 64-17-	,		carcinogen with unknown relevance to humans
Reproductive toxicity	-	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classif	ied.	
Specific target organ toxicity - repeated exposure	Not classif	ied.	
Aspiration hazard	Not an asp	viration hazard.	
12. Ecological informatio	n		
Ecotoxicity	The produ		azardous. However, this does not exclude the narmful or damaging effect on the environment
Components	1	Species	Test Results
Ethyl Alcohol (CAS 64-17-5)	1	-	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7700 - 11200 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales pron	nelas) > 100.1 mg/l, 96 hours
Polyethylene Glycol (CAS 2		× 1 1 1	
Aquatic	/		
Fish	LC50	Atlantic salmon (Salmo salar)	> 1000 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient	n-octanol / water (log Kow)	
Ethyl Alcohol	-0.31	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal considera	tions	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of	

Disposal instructions	contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG		
UN number	UN1170	
UN proper shipping name	Ethyl Alcohol (mixture)	
Transport hazard class(es)		
Class	3	
Subsidiary risk		
Packing group	III	
Environmental hazards	Not available.	
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
ΙΑΤΑ		
UN number	UN1170	
UN proper shipping name	Ethyl Alcohol (mixture)	
Transport hazard class(es)		
Class	3	
Subsidiary risk		
Packing group	III	
Environmental hazards	No.	
ERG Code	3H	
Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Other information		
Passenger and cargo	Allowed with restrictions.	
aircraft		
Cargo aircraft only	Allowed with restrictions.	
IMDG		
UN number	UN1170	
UN proper shipping name	Ethyl Alcohol (mixture)	
Transport hazard class(es)		
Class	3	
Subsidiary risk		
Packing group	III	
Environmental hazards		
Marine pollutant	No.	
EmS	F-E, <u>S</u> - <u>E</u>	
	Read safety instructions, SDS and emergency procedures before handling.	
Transport in bulk according to	Not established.	
Annex II of MARPOL 73/78 and		
the IBC Code		



15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable. Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

Issue date	07-17-2019
Version #	03

	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Alternate Trade Names