

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** KD098D KNOCKDOWN KILLSOL ONE SOLUTION 22 IN 1! MULTI INSECT KILLER

### Other means of identification

**Product code** KD098D

**Recommended use** Pesticide

**Recommended restrictions** None known.

### Manufacturer/Importer/Supplier/Distributor information

#### Manufacturer

**Company name** KUUS INC.  
**Address** 450 TAPSCOTT ROAD  
SCARBOROUGH, ON M1B 1Y4  
Canada  
**Telephone** General Assistance 1-416-298-7724  
**E-mail** Not available.  
**Emergency phone number** Canutec 1-888-226-8832  
1-613-996-6666

## 2. Hazard(s) identification

### Physical hazards

**Health hazards** Flammable aerosols Category 1

**Label elements** Sensitization, skin Category 1

#### Hazard symbol

None.

#### Signal word

None.

#### Hazard statement

Not available.

#### Precautionary statement

**Prevention** Not available.

**Response** Not available.

**Storage** Not available.

**Disposal** Not available.

**Environmental hazards** Hazardous to the aquatic environment, acute hazard Category 1

Hazardous to the aquatic environment, long-term hazard Category 1

**Other hazards** None known.

**Supplemental information** None.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Isobutane		75-28-5	15 - 40
Naphtha (petroleum), Heavy Alkylate		64741-65-7	5 - 10
Propane		74-98-6	3 - 7
Distillates (petroleum), Hydrotreated Light		64742-47-8	0.5 - 1.5
White Mineral Oil		8042-47-5	0.5 - 1.5

Chemical name	Common name and synonyms	CAS number	%
Permethrin		52645-53-1	0.1 - 1

#### 4. First-aid measures

Inhalation	Not available.
Skin contact	Not available.
Eye contact	Not available.
Ingestion	Not available.
Most important symptoms/effects, acute and delayed	Not available.

#### 5. Fire-fighting measures

Suitable extinguishing media	Not available.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Not available.
Methods and materials for containment and cleaning up	Not available.

#### 7. Handling and storage

Precautions for safe handling	Not available.
Conditions for safe storage, including any incompatibilities	Not available.

#### 8. Exposure controls/personal protection

##### Occupational exposure limits

##### US. ACGIH Threshold Limit Values

Components	Type	Value
Isobutane (CAS 75-28-5)	STEL	1000 ppm

##### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Propane (CAS 74-98-6)	TWA	1000 ppm

##### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8)	TWA	200 mg/m <sup>3</sup>	Non-aerosol.

##### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Isobutane (CAS 75-28-5)	STEL	1000 ppm

##### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Isobutane (CAS 75-28-5)	TWA	800 ppm

**Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)**

<b>Components</b>	<b>Type</b>	<b>Value</b>
Propane (CAS 74-98-6)	TWA	1800 mg/m <sup>3</sup> 1000 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines**

**Canada - British Columbia OELs: Skin designation**

Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8) Can be absorbed through the skin.

**Appropriate engineering controls** Not available.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Not available.

**Skin protection**

**Hand protection** Not available.

**Other** Not available.

**Respiratory protection** Not available.

**Thermal hazards** Not available.

**9. Physical and chemical properties**

**Appearance**

**Physical state** Liquid.

**Form** Not available.

**Color** Not available.

**Odor** Not available.

**Odor threshold** Not available.

**pH** Not available.

**Melting point/freezing point** Not available.

**Initial boiling point and boiling range** 149.18 °F (65.1 °C) estimated

**Flash point** -156.0 °F (-104.4 °C) Propellant estimated

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not available.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** 1 % estimated

**Flammability limit - upper (%)** 7 % estimated

**Explosive limit - lower (%)** Not available.

**Explosive limit - upper (%)** Not available.

**Vapor pressure** Not available.

**Vapor density** Not available.

**Relative density** Not available.

**Solubility(ies)**

**Solubility (water)** Not available.

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** 718.6 °F (381.44 °C) estimated

**Decomposition temperature** Not available.

**Viscosity** Not available.

**Other information**

**Flammability class** Flammable IB estimated

Heat of combustion (NFPA 30B)	16.49 kJ/g estimated
Specific gravity	0.784 estimated
VOC (Weight %)	12.49 % estimated

## 10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Not available.
Possibility of hazardous reactions	Not available.
Conditions to avoid	Not available.
Incompatible materials	Not available.
Hazardous decomposition products	Not available.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Not available.
Skin contact	Not available.
Eye contact	Not available.
Ingestion	Not available.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

### Information on toxicological effects

#### Acute toxicity

Components	Species	Test Results
Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 2000 mg/kg > 2000 mg/kg, 24 Hours
<b>Inhalation</b>		
LC50	Rat	> 7.5 mg/l, 6 Hours > 4.6 mg/l, 4 Hours
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg
Isobutane (CAS 75-28-5)		
<b>Acute</b>		
<b>Inhalation</b>		
LC50	Mouse	1237 mg/l, 120 Minutes 52 %, 120 Minutes
	Rat	1355 mg/l
Propane (CAS 74-98-6)		
<b>Acute</b>		
<b>Inhalation</b>		
LC50	Mouse	1237 mg/l, 120 Minutes 52 %, 120 Minutes
	Rat	1355 mg/l 658 mg/l/4h

Components	Species	Test Results
White Mineral Oil (CAS 8042-47-5)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
<b>Inhalation</b>		
LC50	Rat	2.18 mg/l, 4 Hours
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg 5000.0001 mg/kg
<b>Skin corrosion/irritation</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	Not available.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not available.	
<b>Skin sensitization</b>	Not available.	
<b>Germ cell mutagenicity</b>	Not available.	
<b>Carcinogenicity</b>		
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
Permethrin (CAS 52645-53-1)	3 Not classifiable as to carcinogenicity to humans.	
<b>Reproductive toxicity</b>	Not available.	
<b>Specific target organ toxicity - single exposure</b>	Not available.	
<b>Specific target organ toxicity - repeated exposure</b>	Not available.	
<b>Aspiration hazard</b>	Not available.	

## 12. Ecological information

### Ecotoxicity

Components	Species	Test Results
Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8)		
<b>Aquatic</b>		
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)
		2.9 mg/l, 96 hours
Naphtha (petroleum), Heavy Alkylate (CAS 64741-65-7)		
<b>Aquatic</b>		
Algae	IC50	Algae
		30000 mg/L, 72 Hours
Permethrin (CAS 52645-53-1)		
<b>Aquatic</b>		
Crustacea	EC50	Water flea (Daphnia magna)
		0.0006 - 0.0025 mg/l, 48 hours
Fish	LC50	Apache trout (Oncorhynchus gilae apache)
		0.0013 - 0.0022 mg/l, 96 hours
White Mineral Oil (CAS 8042-47-5)		
<b>Aquatic</b>		
Fish	LC50	Fish
		10000.0001, 96 Hours
<b>Persistence and degradability</b>	Not available.	
<b>Bioaccumulative potential</b>	Not available.	
<b>Partition coefficient n-octanol / water (log Kow)</b>		
Isobutane		2.76
Permethrin		6.5
Propane		2.36
<b>Mobility in soil</b>	Not available.	

Other adverse effects Not available.

### 13. Disposal considerations

Disposal instructions Not available.

Hazardous waste code Not regulated.

Waste from residues / unused products Not available.

Contaminated packaging Not available.

### 14. Transport information This product meets the exception requirements of section 1.17 "limited quantities exemption" as a limited quantity and may be shipped as a limited quantity.

#### TDG

UN number

UN proper shipping name UN1950

Transport hazard class(es) AEROSOLS, flammable

Class

Subsidiary risk 2.1

Packing group -

Environmental hazards Not applicable.

Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

This product meets the exemption requirements and may be shipped as a limited quantity.

#### IATA

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

Class 2.1

Subsidiary risk -

Label(s) 2.1

Packing group Not applicable.

Environmental hazards Yes

ERG Code 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

#### IMDG

UN number UN1950

UN proper shipping name AEROSOLS

Transport hazard class(es)

Class 2.1

Subsidiary risk -

Label(s) 2.1

Packing group Not applicable.

Environmental hazards

Marine pollutant Yes

EmS F-D, S-U

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

IATA; IMDG; TDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

## 15. Regulatory information

### Canadian regulations

#### Controlled Drugs and Substances Act

Not regulated.

#### Export Control List (CEPA 1999, Schedule 3)

Not listed.

#### Greenhouse Gases

Not listed.

#### Precursor Control Regulations

Not regulated.

### International regulations

#### Stockholm Convention

Not applicable.

#### Rotterdam Convention

Not applicable.

#### Kyoto protocol

Not applicable.

#### Montreal Protocol

Not applicable.

#### Basel Convention

Not applicable.

### International Inventories

#### Country(s) or region

#### Inventory name

#### On inventory (yes/no)\*

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other Information

**Issue date** 06-04-2019

**Version #** 02

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.