SAFETY DATA SHEET

1. Identification

Product identifier KD111D KNOCK DOWN INSECTICIDE POUR PUNAISES DE LIT 0,25% PYRÉTHRINES D'UNE

Other means of identification

F

Product code

Recommended use KD111D
Recommended restrictions Pesticide

None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name KUUS INC.

Address 450 TAPSCOTT ROAD

SCARBOROUGH, ON M1B 1Y4

Canada

Telephone General Assistance

1-416-298-7724

E-mail Not available.

Emergency phone number Canutec

1-888-226-8832 1-613-996-6666

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1

Health hazards Not classified.

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Response Not available.

Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental hazards Hazardous to the aquatic environment, acute Category 1

long-term hazard

hazard

Hazardous to the aquatic environment,

Category 1

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Propane	Common name and synonyms
Isobutane		
Distillates (petroleum), Hydrotreated Light		

CAS number	%
75-28-5	15 - 40
64742-47-8	7 - 13
74-98-6	3 - 7

Chemical name	Common name and synonyms	CAS number	%
Piperonyl Butoxide		51-03-6	1 - 5
Pyrethrins		8003-34-7	0.1 - 1
Other components below re	eportable levels		40 - 70

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion In the unlikely event of swallowing contact a physician or poison control center.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General informationEnsure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

During fire, gases hazardous to health may be formed.

Direct contact with eyes may cause temporary irritation.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

Firefighters must use standard protective equipment including flame retardant coat, helmet with

and precautions for firefighters

face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not

breathe fumes.

General fire hazards Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

Value

8. Exposure controls/personal protection

Occupational exposure limits

LIS	ACGIH	Threshole	d I imit	Values
UO.	ACGIR	THESHOR	u Liiiiii	values

Sobutane (CAS 75-28-5) STEL	Value 1000 ppm 5 mg/m3	ccupational Health and
Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1 Components Type Propane (CAS 74-98-6) TWA Pyrethrins (CAS 8003-34-7) TWA Canada. British Columbia OELs. (Occupational Exposure Limits for Ch Safety Regulation 296/97, as amended) Components Type Distillates (petroleum), TWA Hydrotreated Light (CAS 64742-47-8) Pyrethrins (CAS 8003-34-7) TWA Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Heac Components Type Isobutane (CAS 75-28-5) STEL Pyrethrins (CAS 8003-34-7) TWA Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	1, Table 2) Value 1000 ppm 5 mg/m3 nemical Substances, O	ccupational Health and
Propane (CAS 74-98-6) Propane (CAS 8003-34-7) TWA Canada. British Columbia OELs. (Occupational Exposure Limits for Ch Safety Regulation 296/97, as amended) Components Type Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8) Pyrethrins (CAS 8003-34-7) TWA Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Hecomponents Type Isobutane (CAS 75-28-5) Pyrethrins (CAS 8003-34-7) TWA Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	Value 1000 ppm 5 mg/m3 hemical Substances, O	ccupational Health and
Propane (CAS 74-98-6) Pyrethrins (CAS 8003-34-7) Canada. British Columbia OELs. (Occupational Exposure Limits for Ch Safety Regulation 296/97, as amended) Components Type Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8) Pyrethrins (CAS 8003-34-7) Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And HecComponents Type Isobutane (CAS 75-28-5) Pyrethrins (CAS 8003-34-7) Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	1000 ppm 5 mg/m3 nemical Substances, O	ccupational Health and
Pyrethrins (CAS 8003-34-7) Canada. British Columbia OELs. (Occupational Exposure Limits for Ch Safety Regulation 296/97, as amended) Components Type Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8) Pyrethrins (CAS 8003-34-7) Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Hecomponents Type Isobutane (CAS 75-28-5) Pyrethrins (CAS 8003-34-7) Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	5 mg/m3 nemical Substances, O	ccupational Health and
Canada. British Columbia OELs. (Occupational Exposure Limits for Ch Safety Regulation 296/97, as amended) Components Type Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8) Pyrethrins (CAS 8003-34-7) Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Hecomponents Type Isobutane (CAS 75-28-5) Pyrethrins (CAS 8003-34-7) Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	nemical Substances, O	ccupational Health and
Safety Regulation 296/97, as amended) Components Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8) Pyrethrins (CAS 8003-34-7) Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And HecComponents Type Isobutane (CAS 75-28-5) Pyrethrins (CAS 8003-34-7) Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	•	ccupational Health and
Distillates (petroleum), TWA Hydrotreated Light (CAS 64742-47-8) Pyrethrins (CAS 8003-34-7) Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And HecComponents Type Isobutane (CAS 75-28-5) Pyrethrins (CAS 8003-34-7) Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	Value	
Hydrotreated Light (CAS 64742-47-8) Pyrethrins (CAS 8003-34-7) Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Heacomponents Type Isobutane (CAS 75-28-5) Pyrethrins (CAS 8003-34-7) Canada. Ontario OELs. (Control of Exposure to Biological or Chemical		Form
Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Head Components Type Isobutane (CAS 75-28-5) STEL Pyrethrins (CAS 8003-34-7) TWA Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	200 mg/m3	Non-aerosol.
Components Type Isobutane (CAS 75-28-5) Pyrethrins (CAS 8003-34-7) Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	5 mg/m3	
Isobutane (CAS 75-28-5) Pyrethrins (CAS 8003-34-7) Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	alth Act)	
Pyrethrins (CAS 8003-34-7) TWA Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	Value	
Canada. Ontario OELs. (Control of Exposure to Biological or Chemical	1000 ppm	
,	5 mg/m3	
~ · · · · · · · · · · · · · · · · · · ·	l Agents)	
Components Type	Value	
Isobutane (CAS 75-28-5) TWA	800 ppm	
Pyrethrins (CAS 8003-34-7) TWA	5 mg/m3	
Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the	Quality of the Work Er	nvironment)
Components Type	Value	
Propane (CAS 74-98-6) TWA	1800 mg/m3	
	1000 ppm	
Pyrethrins (CAS 8003-34-7) TWA	5 mg/m3	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Canada - British Columbia OELs: Skin designation

Distillates (petroleum), Hydrotreated Light (CAS Can be absorbed through the skin.

64742-47-8)

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

supplier.

Other Wear suitable protective clothing.

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Liquid. Physical state **Form** Aerosol. Color Not available. Not available. Odor Not available. **Odor threshold** Not available. pН Melting point/freezing point Not available.

Initial boiling point and boiling

range

149.18 °F (65.1 °C) estimated

-99.4 °F (-73.0 °C) Propellant estimated Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

0.6 % estimated

(%)

Flammability limit - upper

4.9 % estimated

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

40.83 psig @70F estimated Vapor pressure

Not available. Vapor density Relative density Not available.

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient**

(n-octanol/water)

Auto-ignition temperature 610.52 °F (321.4 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Explosive properties Not explosive.

Flammable IB estimated Flammability class Heat of combustion (NFPA 17.02 kJ/g estimated

30B)

Oxidizing properties Not oxidizing. 0.838 estimated Specific gravity 0.59 % estimated VOC (Weight %)

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materialsStrong oxidizing agents. Nitrates. Fluorine. Chlorine.Hazardous decompositionNo hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results		
Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8)				
<u>Acute</u>				
Dermal				
LD50	Rabbit	> 2000 mg/kg		
		> 2000 mg/kg, 24 Hours		
Inhalation				
LC50	Rat	> 7.5 mg/l, 6 Hours		
		> 4.6 mg/l, 4 Hours		
Oral				
LD50	Rat	> 5000 mg/kg		
Isobutane (CAS 75-28-5)				
<u>Acute</u>				
Inhalation				
LC50	Mouse	1237 mg/l, 120 Minutes		
		52 %, 120 Minutes		
	Rat	1355 mg/l		
Piperonyl Butoxide (CAS 51-03-6)				
<u>Acute</u>				
Dermal				
LD50	-	> 2000 mg/kg		
Inhalation				
LC50	Rat	> 5.2 mg/l, 4 Hours		
Oral				
LD50	Rat	> 2000 mg/kg		
Propane (CAS 74-98-6)				
<u>Acute</u>				
Inhalation				
LC50	Mouse	1237 mg/l, 120 Minutes		
		52 %, 120 Minutes		

 Components
 Species
 Test Results

 Rat
 1355 mg/l

658 mg/l/4h

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritationProlonged skin contact may cause temporary irritation. **Serious eye damage/eye**Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Canada - British Columbia OELs: Respiratory or skin sensitiser

Pyrethrins (CAS 8003-34-7) Capable of causing respiratory, dermal or conjunctival

sensitization.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

Pyrethrins (CAS 8003-34-7)

A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

PYRETHRUM (CAS 8003-34-7) Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Piperonyl Butoxide (CAS 51-03-6)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Components		Species	Test Results	
Distillates (petroleum), Hydrotreated Light	t (CAS 64742-47-8)		
Aquatic				
Fish	LC50	Rainbow trout, donaldson trout	2.9 mg/l, 96 hours	

Piperonyl Butoxide (CAS 51-03-6)

Pyrethrins (CAS 8003-34-7)

Aquatic

Fish LC50 Rainbow trout, donaldson trout

(Oncorhynchus mykiss)

(Oncorhynchus mykiss)

(Oncomynan

Aquatic

 Crustacea
 EC50
 Water flea (Daphnia)
 0.018 - 0.032 mg/l, 48 hours

 Fish
 LC50
 Brown trout (Salmo trutta)
 0.0165 - 0.0229 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Isobutane 2.76
Piperonyl Butoxide 4.75
Propane 2.36

Mobility in soil No data available.

0.0027 - 0.0043 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

14. Transport information

TDG

UN number UN1950

UN proper shipping name

AEROSOLS, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -

Packing group Not applicable.

Environmental hazards Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

This product meets the exemption requirements and may be shipped as a limited quantity.

IATA

UN number UN1950

UN proper shipping name

Transport hazard class(es)

Aerosols, flammable

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards Yes ERG Code 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN1950 UN proper shipping name AEROSOLS

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards

Marine pollutant Yes EmS F-D, S-U

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

IATA; IMDG; TDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

Issue date 06-June-2019

Version # 02

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Alternate Trade Names